

Key Facts: Maternal Mental Health (MMH) Conditions



**1 in 5 Mothers Are Impacted
 by Mental Health Conditions**

Maternal mental health (MMH) conditions are the **MOST COMMON** complication of pregnancy and birth, affecting 800,000 families each year in the U.S.^{1,2}

75% Most Women Are Untreated,
 Increasing Risk of Negative Impacts

75% of women impacted by MMH conditions **REMAIN UNTREATED**, increasing the risk of long-term negative impacts on mothers, babies, and families.⁴



**Learn More About Maternal
 Mental Health Conditions**

Learn more about MMH conditions with MMHLA's [Fact Sheet](#) on Maternal Mental Health.



**Mental Health Conditions Are the
 Leading Cause of Maternal Deaths**

Suicide and overdose are the **LEADING CAUSE** of death for women in the first year following pregnancy.³



**\$14 Billion: The Cost of
 Untreated MMH Conditions**

The cost of not treating MMH conditions is \$32,000 per mother-infant pair, or **\$14 BILLION** each year in the U.S.⁵




**It's Not Just Postpartum Depression:
 There Are a Range of MMH Conditions**

MMH conditions can occur during pregnancy and up to one year following pregnancy and include depression, anxiety disorders, obsessive-compulsive disorder, post-traumatic stress disorder, bipolar illness, psychosis, and substance use disorders.⁶

Key Facts: Black Women, Birthing People, and Maternal Mental Health

**Black women experience maternal deaths
 at 2-3 times the rate of white women.**^{7,8}



40%

**Almost 40% of Black mothers will
 experience MMH conditions.**^{9,10}

2 x

**Black women are twice as likely as white
 women to experience MMH conditions
 but half as likely to receive care.**^{10,11}

6 x

**Single Black mothers are six times
 more likely than the general population
 to experience depressive symptoms.**⁹

Additional Factors Impacting Black Women and Families

Social Determinants of Health (SDOH)

SDOH are the conditions in the environments where people are born, live, learn, work, play, worship, and age. SDOH affects a wide range of health, functioning, and quality-of-life outcomes. Black people are disproportionately impacted by SDOH, which include:¹⁹

- Safe housing, transportation, neighborhoods
- Racism, discrimination, violence
- Education, job opportunities, income
- Access to nutritious foods and physical activity opportunities
- Polluted air and water

Depression May Look Different in Black Women

Black women experiencing depression are more likely to report irritability, self-criticism (e.g. self-hate or self-blame) and somatic symptoms such as fatigue, insomnia, and decreased libido rather than stereotypical depression symptoms such as feelings of hopelessness or depressed mood. They also reported experiencing anhedonia, an inability to experience pleasure. It is important to recognize how depression manifests in Black women to be able to properly screen and provide mental health support.¹⁵

Weathering

Black women experience physical “weathering,” meaning their bodies age faster than white women due to exposure to chronic stress linked to socioeconomic disadvantage and discrimination over the life course. Weathering can make pregnancy riskier for Black women at an earlier age and can also lead to Black women experiencing more chronic health conditions, such as diabetes and obesity.¹⁶

The Superwoman Schema

The Superwoman Schema is a conceptual framework that states that certain socio, cultural, and historical perspectives in the United States have impacted how Black women experience and handle stress, with Black women taking on the following coping characteristics: obligations to manifest strength, suppress emotions, and help others, even to the detriment of personal health; resistance to being vulnerable or dependent; and a determination to succeed despite limited resources.¹⁷



Assessing MMH Conditions in Black Women

Current screening tools for MMH conditions do not take into account these additional factors that impact Black birthing people. Thus to properly assess for MMH among Black birthing people, providers should consider utilizing screening tools such as the Jackson, Hogue, Phillips Contextualized Stress Measure (JHP), a measurement of racial and gendered stress, and the Perceived Stress Scale (PSS), an assessment of global stress.²⁰



Black Maternal Health MOMNIBUS

The Momnibus was first introduced in Congress in 2021 and consisted of 12 separate bills to improve maternal health, particularly among communities of color. Only one provision was enacted: The Protecting Moms Who Serve Act. Legislators reintroduced the Momnibus bills in May 2023 to continue to address the maternal mortality crisis in our country which disproportionately impacts Black women.

Factors that Increase MMH Conditions Among Black Women and Birthing People

Systemic Racism	Socioeconomic Status	Exposure to Violence and Trauma	Gaps in Medical Insurance
Adverse Childhood Experiences	Lack of Representation in the Medical Care System	Higher Risk of Pregnancy and Childbirth Complications	Lack of Access to High-Quality Medical and Mental Health Care

Barriers Black Women Face in Accessing MMH Care

Systemic and Interpersonal Racism

The cumulative effect of systemic and interpersonal racism takes a toll on the physical and emotional health of black women. Stress, anxiety, and fear all increase the likelihood of developing MMH conditions.^{8,12,13}

Distrust of the Healthcare System

Historically, many Black people have been mistreated and harmed by medical providers, creating deep mistrust of the health care system.^{9,12}

Shame and Stigma

The pressure of social stigma encourages Black women to keep their problems private to avoid appearing crazy, weak, or lacking faith. Having to be a “strong Black woman” prevents many women from seeking help.^{10,11,12}

Logistical Barriers

Issues such as transportation, time off from work, and childcare can prevent women from seeking care.^{10,11}

Screening Tools

Most mental health screening tools were developed based on primarily white research participants. These tools do not assess for physical symptoms, which Black women often use to describe their feelings of depression.¹⁴

Family Policing and Separation

Black families are disproportionately investigated by Child Protective Services: in the 20 most populous counties in the country, the mean rate of CPS investigations was 34%, but ranged from 40% to 70% for Black children. Family policing and separation contribute to the chronic stress that Black women and families face, and can deter a Black mother’s willingness to seek out mental health care and treatment.^{10,11,18}

Strategies to Remove These Barriers^{8,10,13}

- ✓ Acknowledge the role of racism and cultural oppression.
- ✓ Build long-term, respectful relationships with community organizations and leaders.
- ✓ Retrain and educate current health care professionals on culturally appropriate mental health curriculum.
- ✓ Support and uplift the solutions from patient advocacy groups along with grassroots and community-based organizations.
- ✓ Provide culturally based or culturally relevant or culturally appropriate social support for pregnant and postpartum people.
- ✓ Create mental health screening tools that are designed for women of color and screen universally.
- ✓ Support political and economic policies that help empower communities of color.
- ✓ Create and provide services informed by cultural humility and holistic care.
- ✓ Embed diversity in the maternal and mental health care teams.

Learn More From These Organizations Led By and For Black Women



theafiyacenter.org



birthcenterequity.org



blackmamasmatter.org



bmhce.org



shadesofblueproject.org



bwhi.org



birthequity.org



postpartum.net/perinatal-mental-health-alliance-for-people-of-color



Shades of You, Shades of Me

soysom.com



sistersong.net


Recommended Reading



Pregnant While Black: Advancing Justice for Maternal Health in America

By: Monique Rainford

[BUY THE BOOK](#)



Weathering: The Extraordinary Stress of Ordinary Life in an Unjust Society

By: Arline Geronimus

[BUY THE BOOK](#)



Torn Apart: How the Child Welfare System Destroys Black Families – and How Abolition Can Build a Safer World

By: Dorothy E. Roberts

[BUY THE BOOK](#)

Editorial Team

This Fact Sheet was prepared by Niaja J.E. Nolan, MPH and former MMHLA Graduate School Intern, with input and assistance from the [CDU Black Maternal Health Center of Excellence](#), Krystal Leaphart, Senior Policy Analyst at the [National Birth Equity Collaborative](#), and Terri Wright, PhD, MPH. This fact sheet was funded by grants from the [California Health Care Foundation](#) and the [W.K. Kellogg Foundation](#).

Citations

- Fawcett, E., Fairbrother, N., Cox, M., White, I., & Fawcett, J. (2019, July 23). The prevalence of anxiety disorders during pregnancy and the postpartum period: A multivariate Bayesian meta-analysis. *The Journal of Clinical Psychiatry*. Retrieved April 23, 2023, from <https://pubmed.ncbi.nlm.nih.gov/31347796/>.
- Gavin, N., Gaynes, B., Lohr, K., Meltzer-Brody, S., Gartlehner, G., & Swinson, T. (2005, November). Perinatal depression: A systematic review of prevalence and incidence. *Obstetrics & Gynecology*. Retrieved April 23, 2023, from <https://pubmed.ncbi.nlm.nih.gov/16260528/>.
- Trost, S., Beaugregard, J., Chandra, G., Njie, F., Berry, J., Harvey, A., & Goodman, D. A. (2022, September 19). Pregnancy-related deaths: Data from Maternal Mortality Review Committees in 36 US States, 2017–2019. *Centers for Disease Control and Prevention*. Retrieved April 23, 2023, from <https://www.cdc.gov/reproductivehealth/maternal-mortality/erase-mm/data-mmrc.html>.
- Byatt, N., Levin, L., Ziedonis, D., Moore Simas, T. A., & Allison, J. (2015, November). Enhancing participation in depression care in outpatient perinatal care settings: A systematic review. *Obstetrics & Gynecology*. Retrieved April 23, 2023, from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4618720/>.
- Luca DL, et al. (2020). Financial toll of untreated perinatal mood and anxiety disorders among 2017 births in the United States. *American Journal of Public Health*. Retrieved May 2, 2023 from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7204436/>.
- Postpartum Support International. 2023. <https://www.postpartum.net/learn-more/>.
- Hoyert, Donna L. (2023, March). Maternal Mortality Rates in the United States, 2021. *NCHS Health E-Stats*. 2023. DOI: <https://dx.doi.org/10.15620/cdc.124678>.
- Sethi, S. (2020, April 21). Advancing racial equity in maternal mental health policy. *Center for Law and Social Policy (CLASP)*. Retrieved May 1, 2023 from <https://www.clasp.org/publications/report/brief/advancing-racial-equity-maternal-mental-health-policy/>.
- UPMC Health Beat (2020, July 23). Black maternal mental health: The challenges facing Black mothers. Retrieved May 1, 2023 from <https://share.upmc.com/2020/07/black-maternal-mental-health/#:~:text=If%20you%20are%20pregnant%20or,%20to%20schedule%20an%20appointment>.
- Taylor, J. and Gamble, C. (2017, November). Suffering in silence: Mood disorders among pregnant and postpartum women of color. *American Progress*. Retrieved May 2, 2023 from <https://www.americanprogress.org/article/suffering-in-silence/>.
- Kozhimanill, K., Trinacty, C., Busch, A., Huskamp, H., Adams, A. (2011). Racial and ethnic disparities in postpartum depression care among low-income women. *Psychiatric Services*. Retrieved May 1, 2023 from <https://pubmed.ncbi.nlm.nih.gov/21632730/>.
- Parker, A. (2021, July). Reframing the narrative: Black maternal mental health and culturally meaningful support for wellness. *Infant Mental Health*. Retrieved May 1, 2023 from <https://pubmed.ncbi.nlm.nih.gov/33470438/>.
- Mathews, K., Morgan, I., Davis, K., Estriplet, T., Perez, S., Crear-Perry, J. (2021, October). Pathways to equitable and antiracist maternal mental health care: insights from Black women stakeholders. *Health Affairs*. Retrieved May 1, 2023 from <https://pubmed.ncbi.nlm.nih.gov/34606342/>.
- Feldman, N., and Pattani, A. (2019). Black mothers get less treatment for postpartum depression. *National Public Radio*. Retrieved May 1, 2023 from <https://www.npr.org/sections/health-shots/2019/11/29/760231688/black-mothers-get-less-treatment-for-their-postpartum-depression>.
- Perez, N., D'Emramo Melkus, G., Wright, F., Yu, G., Vorderstrasse, A., Sun, Y, Crusto, C., & Taylor, J. (2023, March 4). Latent class analysis of depressive symptom phenotypes among Black / African-American mothers. (2023, March-April). *Nursing Research*. Retrieved April 23, 2023, from <https://pubmed.ncbi.nlm.nih.gov/36729771/>.
- Geronimus, A. The weathering hypothesis and the health of African-American women and infants: evidence and speculations. (1992). *Ethnicity and Disease*. Retrieved May 1, 2023 from <https://pubmed.ncbi.nlm.nih.gov/1467758/>.
- Woods-Giscombe, C., Superwoman schema: African-American women's views on stress, strength, and health. (2010: May) *Quality Health Research*. Retrieved May 1, 2023 from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3072704/>.
- Edwards, F., Wakefield, S., Healy, K., & Wilderman, C. (2021, July 19). Contact with child protective services is pervasive but unequally distributed by race and ethnicity in large U.S. counties. *Proceedings of the National Academy of Sciences*. Retrieved April 25, 2023, from <https://www.pnas.org/doi/10.1073/pnas.2106272118>.
- Social Determinants of Health. *Social Determinants of Health - Healthy People 2030*. (n.d.). Retrieved April 23, 2023, from <https://health.gov/healthypeople/priority-areas/social-determinants-health>.
- Jackson, F., Hogue, C., & Phillips, M. (2015). The development of a race and gender-specific stress measure for African-American women: Jackson, Hogue, Phillips contextualized stress measure. *Ethnicity & Disease*. Retrieved April 23, 2023, from <https://pubmed.ncbi.nlm.nih.gov/16259481/>.